

Contents of Volume 37

Number 1, November 1989

Molecular characterization of <i>Babesia bovis</i> merozoite surface proteins bearing epitopes immunodominant in protected cattle S.A. Hines, T.F. McElwain, G.M. Buening and G.H. Palmer (U.S.A.)	1
Identification, expression and in situ hybridization of an eggshell protein gene from <i>Fasciola hepatica</i> M. Zurita, D. Bieber and T.E. Mansour (U.S.A.)	11
Alanine is a major end product of metabolism by <i>Giardia lamblia</i> : a proton nuclear magnetic resonance study M.R. Edwards, F.V. Gilroy, B.M. Jimenez and W.J. O'Sullivan (Australia)	19
Sequence and expression of a gene from <i>Theileria annulata</i> coding for a 70-kilodalton heat-shock protein P.J. Mason, B.R. Shiels, A. Tait, P. Beck and R. Hall (U.K.)	27
Use of a DNA probe to analyse the dynamics of infection with rodent malaria parasites confirms that parasite clearance during crisis is predominantly strain- and species-specific G. Snounou, W. Jarra, S. Viriyakosol, J.C. Wood and K.N. Brown (U.K.)	37
A new blood stage antigen of <i>Plasmodium falciparum</i> transported to the erythrocyte surface B. Knapp, E. Hundt and H.A. Küpper (F.R.G.)	47
Cloning and expression of a trypanastigote-specific 85-kilodalton surface antigen gene from <i>Trypanosoma cruzi</i> G.B. Takle, A. Young, D. Snary, L. Hudson and S.C. Nicholls (U.K.)	57
Serum lipoproteins are required for multiplication of <i>Trypanosoma brucei brucei</i> under axenic culture conditions S. Black and V. Vandeweerdt (Kenya)	65
Cuticle collagen genes of <i>Haemonchus contortus</i> and <i>Caenorhabditis elegans</i> are highly conserved L.M. Shamansky, D. Pratt, R.J. Boisvenue and G.N. Cox (U.S.A.)	73
<i>Entamoeba histolytica</i> : molecules involved in the target cell-parasite relationship M.A. Rodríguez, F. Hernández, L. Santos, A. Valdez and E. Orozco (Mexico)	87
Isolation and partial characterization of species-specific and cross-reactive antigens of <i>Echinococcus granulosus</i> cyst fluid F.M. Al-Yaman and J. Knobloch (F.R.G.)	101
Presence of contaminating mitochondrial DNA from host reticulocytes in experimental infections of <i>Plasmodium berghei</i> T. Pace, M. Ponzi, E. Dore, R. Scotti and B. Mons (Italy; The Netherlands)	109
A transcriptional analysis of the <i>Trypanosoma brucei</i> <i>hsp83</i> gene cluster J.C. Mottram, W.J. Murphy and N. Agabian (U.S.A.)	115
Isolation and characterization of a highly purified flagellar membrane fraction from trypanosomatids N.L. da Cunha e Silva, A. Hassón-Voloch and W. de Souza (Brazil)	129
Comparison of collagen gene sequences in <i>Ascaris suum</i> and <i>Caenorhabditis elegans</i> I.B. Kingston, S.M. Wainwright and D. Cooper (U.K.)	137
A polyubiquitin gene from <i>Trypanosoma brucei</i> (Short Communication) S. Wong and D.A. Campbell (U.S.A.)	147

Number 2, December 1989

Specific discontinuities in <i>Leishmania tarentolae</i> minicircles map within universally conserved sequence blocks C. Sheline and D.S. Ray (U.S.A.)	151
Protein changes in bovine lymphoblastoid cells induced by infection with the intracellular parasite <i>Theileria parva</i> C. Sugimoto, L.M. Mutharia, P.A. Conrad, T.T. Dolan, W.C. Brown, B.M. Goddeeris and T.W. Pearson (Kenya, Canada)	159
Subunit composition and specificity of the major cyst fluid antigens of <i>Echinococcus granulosus</i> M.W. Lightowler, D. Liu, A. Haralambous and M.D. Rickard (Australia)	171
Presence of a fructose-2,6-bisphosphate-insensitive pyrophosphate:fructose-6-phosphate phosphotransferase in the anaerobic protozoa <i>Tritrichomonas foetus</i> , <i>Trichomonas vaginalis</i> and <i>Isotricha prostoma</i> E. Mertens, E. Van Schaftingen and M. Müller (Belgium, U.S.A.)	183

Characterization of cDNA clones coding for muscle tropomyosin of the nematode <i>Trichostrongylus colubriformis</i> M.J. Frenkel, K.W. Savin, R.E. Bakker and C.W. Ward (Australia)	191
Serum lipoprotein and <i>Trypanosoma brucei brucei</i> interactions in vitro V. Vandeweerdt and S.J. Black (Kenya)	201
A kinetoplast DNA probe diagnostic for <i>Leishmania major</i> : sequence homologies between regions of <i>Leishmania</i> minicircles D.F. Smith, S. Searle, P.D. Ready, M. Gramiccia and R. Ben-Ismaïl (U.K., Italy, Tunisia)	213
Instability of the nuclear chromatin of procyclic <i>Trypanosoma brucei brucei</i> H. Hecker, K. Bender, B. Betschart and U.-P. Modespacher (Switzerland)	225
Characterization of the promastigote surface protease of <i>Leishmania</i> as a membrane-bound zinc endopeptidase J. Bouvier, C. Bordier, H. Vogel, R. Reichelt and R. Etges (Switzerland)	235
Genetic evidence that metacyclic forms of <i>Trypanosoma brucei</i> are diploid A. Tait, C.M.R. Turner, R.W.F. Le Page and J.M. Wells (U.K.)	247
Genomic organisation of nuclear tRNA ^{Gly} and tRNA ^{Leu} genes in <i>Trypanosoma brucei</i> D.A. Campbell, Y. Suyama and L. Simpson (U.S.A.)	257
The promastigote surface protease (gp63) of <i>Leishmania</i> is expressed but differentially processed and localized in the amastigote stage E. Medina-Acosta, R.E. Karess, H. Schwartz and D.G. Russell (U.S.A., F.R.G.)	263
Wild isolates of <i>Plasmodium falciparum</i> show extensive polymorphism in T-cell epitopes of the circumsporozoite protein M.J. Lockyer, K. Marsh and C.I. Newbold (U.K.)	275
Structure of the apical membrane antigen I (AMA-1) of <i>Plasmodium chabaudi</i> (Short Communication) V.M. Marshall, M.G. Peterson, A.M. Lew and D.J. Kemp (Australia)	281
Comparison of <i>HSP70</i> genes from two strains of <i>Trypanosoma cruzi</i> (Short Communication) D.M. Engman, S.R. Sias, J.D. Gabe, J.E. Donelson and E.A. Dragon (U.S.A.)	285
Acknowledgement	289
Author index	291
Subject index	293
Contents of Volume 37	295
Corrigenda	297

